

0.1Typ.

•Outline Dimension

1.9

3

1

4

2

0.8±0.3

1.Anode

Unit:mm

2,3,4. Cathode

Tolerance:±0.20mm

unless otherwise noted

- Features
- High Luminous PLCC4 Power Top SMD LEDs

OptoSupply

Light It Up

- 3.5x2.8x1.9mm Standard Directivity
- Long Lifetime Operation
- UV Resistant Epoxy ٠
- MSL:5a

Applications

- Automotive Dashboard Lighting •
- Traffic Signal Lamp
- **Back Lighting** •
- Other Lighting ٠

Absolute Maximum Rating

Item	Symbol	Value	Unit
DC Forward Current	I_F	50	mA
Pulse Forward Current#	\mathbf{I}_{FP}	100	mA
Reverse Voltage	VR	5	V
Power Dissipation	PD	190	mW
Operating Temperature	Topr	-30 ~ +85	°C
Storage Temperature	Tstg	-40~ +100	°C
Lead Soldering Temperature	Tsol	260°C /5sec	-

#Pulse width Max.10ms Duty ratio max 1/10

•Electrical -Optical Characteristics

Item	Symbol	Condition	Min.	Тур.	Max.	Unit
DC Forward Voltage*	V_{F}	IF=50mA	3.0	3.3	3.8	V
DC Reverse Current	I _R	V _R =5V	-	-	10	μA
Domi. Wavelength*	$\lambda_{\rm D}$	IF=50mA	520	525	530	nm
Luminous Intensity*	Iv	I _F =50mA	2180	3300	-	mcd
50% Power Angle	201/2	I _F =50mA	-	120	-	deg

*1 Tolerance of measurements of dominant wavelength is ±1nm

*2 Tolerance of measurements of luminous intensity is $\pm 15\%$


*3 Tolerance of measurements of forward voltage is ± 0.1 V

LED & Application Technologies











Directivity





T0.75

8




3.5x2.8x1.9mm Power Top Pure Green SMD LED

OSG58AS3C1A

Reflow Soldering		Hai	Hand Soldering		
Pre-Heat	180 ~ 200°C				
Pre-Heat Time	120 sec. Max.		350°C Max. 3 sec. Max. (one time only)		
Peak temperature	260°C Max.	Temperature			
Dipping Time	10 sec. Max.	Soldering time			
Condition	Refer to Temperature-profile				

• Reflow Soldering Condition(Lead-free Solder)



*Recommended soldering conditions vary according to the type of LED

*Although the recommended soldering conditions are specified in the above table, reflow, or hand soldering at the lowest possible temperature is desirable for the LEDs.

*A rapid-rate process is not recommended for cooling the LEDs down from the peak temperature.


•All SMD LED products are pb-free soldering available.

• Occasionally there is a brightness decrease caused by the influence of heat or ambient atmosphere during air reflow. It is recommended that the User use the nitrogen reflow method.

• Repairing should not be done after the LEDs have been soldered. When repairing is unavoidable

double-head soldering iron should be used. It should be confirmed beforehand whether the characteristics of the LEDs will or will not be damaged by repairing.

- Reflow soldering should not be done more than two times.
- When soldering, do not put stress on the LEDs during heating.
- After soldering, do not warp the circuit board.







а



OSG58AS3C1A

PACKING DIMENTIONS





Notes:

1. Unit: mm

2. 2000pcs/Reel

LED & Application Technologies





OSG58AS3C1A

Precautions in Use for Surface Mount Diode

■ Storage

• Storage Conditions

Before opening the package:

The LEDs should be kept at 30°C or less and 60%RH or less. The LEDs should be used within a year. When storing the LEDs, moisture proof packaging with absorbent material (silica gel) is recommended.

• After opening the package:

Soldering should be done right after opening the package (within 24hrs).

Keeping of a fraction, sealing and Temperature: 5~30°C Humidity: Less than 30%.

If the package has been opened more than 24 Hours, components should be dried for 12hrs, at 60 ± 5 °C.

 \cdot Optosupply LED electrode sections are comprised of a silver plated copper alloy. The silver surface may be affected by environments which contain corrosive gases and so on. Please avoid conditions which may cause the LED to corrode, tarnish or discolor. This corrosion or discoloration may cause difficulty during soldering operations. It is recommended that the User use the LEDs as soon as possible.

 \cdot Please avoid rapid transitions in ambient temperature, especially in high humidity environments where condensation can occur.

LED & Application Technologies

