

Xeon 5 Power Ultra Violet LED

OSV5XDE5E1E


VER.C.2.1

■ Features

- Highest Luminous Flux
- Super Energy Efficiency
- Superior ESD protection
- Superior UV Resistance

■ Applications

- UV-Curing
- · Sensor light
- · Photo-catalyst
- · Other Lighting




Unit:mm Tolerance:±0.30mm

■ Absolute Maximum Rating (Ta=25°C)

Item	Symbol	Value	Unit
DC Forward Current	I_F	1400	mA
Pulse Forward Current#	I_{FP}	2000	mA
Reverse Voltage	V_R	5	V
Power Dissipation	P_{D}	5600	mW
Operating Temperature	Topr	-30 ~ +85	$^{\circ}\!\mathbb{C}$
Storage Temperature	Tstg	-40~ +100	$^{\circ}\!\mathbb{C}$
Lead Soldering Temperature	Tsol	260°C/5sec	$^{\circ}\!\mathbb{C}$

■Directivity



#Pulse width Max.10ms Duty ratio max 1/10

■ Electrical -Optical Characteristics (Ta=25°C)

Item	Symbol	Condition	Min.	Тур.	Max.	Unit
DC Forward Voltage*	V_F	I _F =700mA	3.0	3.3	4.0	V
		I _F =1400mA	3.5	3.8	4.5	V
DC Reverse Current	I_R	V _R =5V	1	1	20	μA
Peak Wavelength*	$\lambda_{ m P}$	I _F =1400mA	400	405	410	nm
Radiant Power*	Ро	I _F =1400mA	800	900	-	mW
50% Power Angle	2θ1/2	I _F =1400mA	-	140	-	deg

^{*1} Tolerance of measurements of Peak Wavelength is ± 1 nm

Note: Don't drive at rated current more than 5s without heat sink for Xeon 5 emitter series.

LED & Application Technologies









http://www.optosupply.com VER.C.2.1

^{*2} Tolerance of measurements of Radiant Power is $\pm 15\%$

^{*3} Tolerance of measurements of Forward Voltage is ±0.1V



Voon	5	Power	TI	ltra	Vio	lat	I ED	
ACUII	3	rower	U	ıua	V IU	ıσι	LLU	

OSV5XDE5E1E

VER.C.2.1

■ Handling of Silicone Lens LEDs

Notes for handling of silicone lens LEDs

- Please do not use a force of over 3kgf impact or pressure on the silicone lens, otherwise it will cause a catastrophic failure.
- The LEDs should only be picked up by making contact with the sides of the LED body.
- Avoid touching the silicone lens especially by sharp tools such as Tweezers.
- Avoid leaving fingerprints on the silicone lens.
- Please store the LEDs away from dusty areas or seal the product against dust.
- When populating boards in SMT production, there are basically no restrictions regarding the form of the pick and place nozzle, except that mechanical pressure on the silicone lens must be prevented.
- Please do not mold over the silicone lens with another resin. (epoxy, urethane, etc)











