



OSV1XME3E1E

Ver.c.1.2


■Features

- · Highest Luminous Flux
- · Super Energy Efficiency
- · Long Lifetime Operation
- · Superior ESD protection
- · Superior UV Resistance

■Applications

- · Money Detector
- UV-Curing
- · Sensor light
- · Photo-catalyst
- Other Lighting


Outline Dimension



■Absolute Maximum Rating

Item	Symbol	Value	Unit
DC Forward Current	I_F	700	mA
Pulse Forward Current*	I_{FP}	1000	mA
Reverse Voltage	V_R	5	V
Power Dissipation	P_{D}	3150	mW
Operating Temperature	Topr	-30 ~ +85	$^{\circ}\!\mathbb{C}$
Storage Temperature	Tstg	-40~ +100	$^{\circ}\!\mathbb{C}$
Lead Soldering Temperature	Tsol	260°C/5sec	-

■Directivity



■Electrical -Optical Characteristics

Item	Symbol	Condition	Min.	Тур.	Max.	Unit
DC Forward Voltage	V_{F}	I _F =700mA	3.5	4.0	4.5	V
DC Reverse Current	I_R	V _R =5V	-	-	10	μA
Peak Wavelength	$\lambda_{ m P}$	I _F =700mA	360	365	370	nm
Radiant Power	Po	I _F =700mA	600	700	-	mW
50% Power Angle	2θ1/2	I _F =700mA	-	140	-	deg

^{*1} Tolerance of measurements of Peak Wavelength is ±1nm

Note: Don't drive at rated current more than 5s without heat sink for Xeon 3 emitter series.

LED & Application Technologies



(Ta=25°C)

(Ta=25°C)







^{*}Pulse width Max.10ms Duty ratio max 1/10

^{*2} Tolerance of measurements of Radiant Power is ±15%

^{*3} Tolerance of measurements of forward voltage is ±0.1V



Xeon 3 Power Violet LED

OSV1XME3E1E

Ver.c.1.2

■ Handling of Silicone Lens LEDs

Notes for handling of silicone lens LEDs

- Please do not use a force of over 3kgf impact or pressure on the silicone lens, otherwise it will cause a catastrophic failure.
- The LEDs should only be picked up by making contact with the sides of the LED body.
- Avoid touching the silicone lens especially by sharp tools such as Tweezers.
- Avoid leaving fingerprints on the silicone lens.
- Please store the LEDs away from dusty areas or seal the product against dust.
- When populating boards in SMT production, there are basically no restrictions regarding the form of the pick and place nozzle, except that mechanical pressure on the silicone lens must be prevented.
- Please do not mold over the silicone lens with another resin. (epoxy, urethane, etc)













http://www.optosupply.com VER C.1.2